

## Index

- Abortion, female sterilization associated with, 142
- Africa  
 female sterilization in, family size and, 71f  
 future sterilization prevalence projections for, 183–184f, 185–186  
 sterilization prevalence in, 27f, 28  
 Sub-Saharan  
     female sterilization incidence in, 23  
     status of sterilization laws in, 90, 92f
- Age  
 minimum, in sterilization laws, 93–94  
 of nonusers considering sterilization, 187t, 189  
 at sterilization, 112–113t, 114  
     for females, 67–69, 79–81t  
     cohort trends in, 68–69, 70f  
     by country, 82–85f  
     sterilization prevalence and, 26
- AIDS, as public health threat, xi
- Anesthesia  
 for female sterilization  
     complications of, 150  
     safe regimens for, 140, 146–147  
 for male sterilization, 163
- Antisperm antibodies, increase in, after vasectomy, 170
- Argentina, change in law in, 96
- Asia  
 female sterilization in, family size and, 71f  
 future sterilization prevalence projections for, 185f, 186  
 status of sterilization laws in, 90, 92f  
 sterilization prevalence in, 26, 29f  
 sterilization users in, 32  
     female, 33
- Australia, sterilization laws in, 95
- Azoospermia, in evaluating vasectomy effectiveness, 166
- Bangladesh  
 compensation programs in, 5–6  
 female sterilization in, by age, 85f  
 sterilization laws in, 96  
 sterilization prevalence in, 29
- Beijing program of action, 98
- Bipolar electrocoagulation, for fallopian tube occlusion, 144, 145f
- Bleeding, heavy, complicating vasectomy, 165t, 168–169
- Brazil  
 female sterilization in, by age, 82f  
 sterilization laws in, 96
- Cairo program of action, xi, 97–98
- Canada, sterilization laws in, 95
- Cancer  
 ovarian, risk of, female sterilization and, 152  
 prostate, vasectomy and, 170
- Cardiovascular function, male sterilization and, 169–170
- Caribbean  
 female sterilization in  
     family size and, 71f  
     incidence of, 22  
     future sterilization prevalence projections for, 182f, 184, 185  
     status of sterilization laws in, 90, 92f  
     sterilization prevalence in, 28f  
 Cautery, in male sterilization, 165
- Central America  
 future sterilization prevalence projections for, 182f  
 sterilization prevalence in, 28f
- Cervical cancer screening of sterilization clients, 12, 130
- Child(ren), living, number of  
 among nonusers considering sterilization, 187t, 189  
 at time of female sterilization, 69, 79–81
- China  
 female sterilization efficacy study in, 148–149  
 sterilization incidence in, changes in, 19  
 sterilization laws in, 95  
 sterilization prevalence in, 26  
 sterilization users in, 32  
     female, 33  
     vasectomy effectiveness study from, 167–168
- Civil law, sterilization and, 90s
- Clients  
 continuity of care for, 12–14  
 intentions/needs of, addressing, 11  
 interactions with providers, 12
- Clips  
 for fallopian tube occlusion, 144, 145f  
 for male sterilization, 165  
     effectiveness of, 167
- Coercion, informed consent, in sterilization laws, 94
- Collaborative Review of Sterilization (CREST), 148
- Colombia, vasectomy clinics in, 5
- Common law, sterilization and, 90s
- Community influences on sterilization service delivery, 8–9
- Compensation programs for family planning services, 5–6
- Condom promotion, 13–14
- Consent  
 guardian, in sterilization laws, 91  
 informed, 7–8  
     research needs on, 131  
     in sterilization laws, coercion and, 94  
     sterilization use and, 121–122  
 need for, current legal status of, 100–106t  
 parental, in sterilization laws, 91  
 physician committee, in sterilization laws, 91, 93  
 spousal, in sterilization laws, 91
- Contraception, unmet need for, 180–181
- Contraceptive sterilization  
 counseling on, 8  
 current legal status of, 100–106t  
 female (*See* Female sterilization)  
 future use of, 179–199  
 global status of, 18
- incidence of, 18–24, 52–55 (*See also* Incidence of sterilization)  
 developments in, xii  
 informed consent for, 7–8  
 international law and, 98s  
 laws on, 87–106 (*See also* Laws, sterilization)  
 male, 161–173 (*See also* Male sterilization)  
 outcomes related to, 124–127 (*See also* Outcomes related to sterilization)  
 postpartum, delivery of, 3  
 prevalence of, 24–35, 47–51, 55–64 (*See also* Prevalence of sterilization)  
 developments in, xii  
 research on  
     additional needs in, 130–131  
     gaps in, addressing, 127, 130  
 service delivery for  
     challenges in, 12–14  
     client-provider interactions in, 12  
     communications in, 11–12  
     community influences on, 8–9  
     compensation programs for, 5–6  
     costs of, 6–7  
     demand factors in, 3t, 7–12  
     developments in, xii  
     fees for, 5–6  
     gender influences on, 8–9  
     informed choice in, 7–8  
     mobile services in, 3–5  
     modalities in, 2–3  
     in post-Cairo era, 1–14  
     postpartum services in, 3  
     program policies and, 9  
     provider needs in, 9–10  
     quality, provision of, 2  
     sociocultural influences on, 8–9  
     supply factors in, 2–7  
 usage of  
     factors influencing, developments in, xiii–xiv  
     future trends in, xiv–xv  
 use of  
     age at sterilization and, 112–113t, 114  
     contraceptive knowledge/previous experience and, 116–118  
     culture and, 120  
     decision-making process and, 122–123  
     empowerment and, 120  
     ethnicity and, 114–115  
     factors influencing, 107–124  
     gender and, 120  
     marital status and, 111, 112–113t  
     misconceptions/misinformation and, 118–120  
     number of children at time of, 111, 114  
     psychological factors influencing, 115–124  
     race and, 114–115  
     religion and, 111  
     sex of children and, 112–113t, 114  
     social factors influencing, 115–124  
     socioeconomic status and, 108–111  
     union status and, 111, 112–113t  
     users of (*See* Users, sterilization)  
     utilization of, developments in, xiii

- Contraceptives  
 knowledge and/or previous experience with, sterilization use and, 116–118  
 modern  
 ever-use of, by nonusers considering sterilization, 187t, 190  
 prior use of, in female sterilization users, 74, 79–81t
- Costs of providing sterilization services, 6–7
- Counseling  
 in family planning, 8  
 for female sterilization, 139–140
- Culture, sterilization use and, 120
- Decision-making process, sterilization use and, 122–123
- Delivery, term, female sterilization associated with, 142
- Demographic factors, sterilization incidence related to, 19
- Disincentives, sterilization use and, 121
- Dominican Republic, female sterilization in, by age, 82f
- Ectopic pregnancy, in sterilized women, 150–151
- Education  
 male sterilization prevalence and, 32  
 sterilization use and, 109–110t
- Educational attainment  
 of female sterilization users, 72, 79–81t  
 of nonusers considering sterilization, 187t, 189
- Egypt, female sterilization in, by age, 84f
- El Salvador, female sterilization in, by age, 83f
- Electrical methods, of fallopian tube occlusion, 144, 145f
- Electrocoagulation, for fallopian tube occlusion, 144, 145f
- Empowerment, sterilization use and, 120
- Epidural anesthesia, for female sterilization, 146–147
- Essure Device, for female sterilization, 155
- Ethnicity, sterilization use and, 114–115
- Europe  
 Eastern  
 status of sterilization laws in, 92f  
 sterilization laws in, 95  
 status of sterilization laws in, 90  
 Western  
 status of sterilization laws in, 92f  
 sterilization prevalence in, 26f
- Fallopian tubes  
 ligation of, 139–156 (*See also* Female sterilization)  
 occlusion of, in female sterilization, 144–146  
 reaching of, for ligation, 141–143
- Falope ring, for fallopian tube occlusion, 144, 145f
- Family planning services  
 access to, right of, 98  
 broader approach to, xi  
 challenges to, xi  
 unmet need for, 180–181
- Family size, of female sterilization users, 69–72
- Fascial interposition  
 effectiveness of, 167  
 in male sterilization, 165, 166f
- Fees for family planning services, 5–6
- Female sterilization, 139–156  
 abdominal approaches to, 142–143  
 age at, 67–69, 79–81t  
 cohort trends in, 68–69, 70f  
 by country, 82–85f  
 anesthesia regimens for, 140, 146–147  
 choice between male sterilization and, 123–124  
 complications of, 149–150  
 counseling for, 140  
 developments in, xiv  
 ectopic pregnancy after, 150–151  
 effectiveness of, 147–149  
 family size, changes in, and, 69, 72  
 hysterectomy and, 152  
 incidence of, 20–21t, 22–23  
 by country and number of years prior to survey, 52–53t  
 innovations for, 155–156  
 long-term effects of, 150–153  
 misconceptions about, 119  
 mortality related to, 152–153  
 nonsurgical mechanisms for, 155–156  
 number of living children at time of, 69, 79–81t  
 occlusion methods  
 electrical methods, 144, 145f  
 ligation and excision, 144, 145f  
 mechanical devices, 144, 145f  
 ovarian cancer risk and, 152  
 pelvic inflammatory disease and, 152  
 postoperative care and instructions for, 147  
 poststerilization syndrome after, 151  
 prevalence of, 30–31, 33f  
 procedures for, 141–146  
 regret after, 153–154  
 restrictions for, 140  
 reversal of, 154–155  
 safe, requirements for a, 139–141  
 sexually transmitted infections and, 152  
 surgical procedures for  
 laparoscopy, 141t, 143  
 laparotomy, 141t, 143  
 minilaparotomy, 141t, 143  
 transcervical, 141t  
 timing of, 141–142  
 transvaginal approaches to, 143  
 users of, current numbers of, 32–33
- Filshie clip, for fallopian tube occlusion, 144, 145f
- Gender  
 of children, sterilization use and, 112–113t, 114  
 influences of, on sterilization service delivery, 8–9  
 sterilization use and, 120
- General anesthesia, for female sterilization, 146
- Government policy, sterilization incidence related to, 19
- Granulomas, sperm, complicating vasectomy, 169
- Guardian, consent of, in sterilization laws, 91
- Hematoma, complicating vasectomy, 165t, 168–169
- Hulka clip, for fallopian tube occlusion, 144
- Hysterectomy, female sterilization and, 152
- Incentives, sterilization use and, 121–122
- Incidence  
 definition of, 17  
 of sterilization, 18–24  
 changes in, causes of, 19  
 female, 20–21t, 22–23  
 by region and number of years prior to survey, 52–53t  
 male, 20–21t, 24  
 by region and number of years prior to survey, 54–55t
- India  
 compensation programs in, 5  
 factors affecting sterilization incidence in, 19  
 female sterilization in, by age, 85f  
 mobile sterilization services in, 4  
 sterilization laws in, 95  
 sterilization users in, 32  
 female, 33
- Indonesia, sterilization laws in, 95–96
- Infection(s)  
 complicating vasectomy, 165t  
 prevention of  
 in female sterilization, 140  
 in male sterilization, 163
- Influence, sources of, sterilization use and, 116
- Information, sources of, sterilization use and, 116
- Informed choice  
 in family planning, 7  
 research needs on, 131  
 sterilization use and, 121–122
- Informed consent, 7–8  
 research needs on, 131  
 in sterilization laws, coercion and, 94  
 sterilization use and, 121–122
- International Conference on Population and Development, xi, 1, 13, 97–98
- International human rights law and sterilization, 97
- International law and policy, impact on sterilization, 96–98
- Interval sterilization, postpartum sterilization versus, 75–76, 79–81t
- Iran, change in law, 96
- Islamic law, sterilization and, 90s, 111
- Japan  
 law and sterilization, 90, 95, 96  
 sterilization prevalence, changes in, 28–29
- Kenya, female sterilization in, by age, 84f
- Laparoscopy, for female sterilization, 141t, 143  
 complications of, 150  
 mortality related to, 153
- Laparotomy, for female sterilization, 141t, 143
- Latin America  
 female sterilization in  
 family size and, 71f  
 incidence of, 22  
 status of sterilization laws in, 90, 92f  
 sterilization prevalence in, 26  
 female, 30
- Laws, sterilization, 87–106  
 conditions and limitations on, 91, 93–94  
 consent of spouse, parent, guardian in, 91, 93  
 current status of, 88–92  
 by country, 89t  
 in developed world, 94–95  
 in developing world, 95–96  
 gender-based, 94  
 informed consent in, coercion and, 94  
 international, 96–98  
 minimum age requirements in, 93–94  
 parity requirements in, 93–94  
 recent changes in, 96  
 sources of, 90s
- Legal issues. *See also* Laws, sterilization developments in, xiii

- Ligation, of vas deferens for male sterilization, 165  
effectiveness of, 167
- Local anesthesia, for female sterilization, 146
- Male sterilization, 161–173  
approaches to, 163–164  
cardiovascular function and, 169–170  
choice between female sterilization and, 123–124  
complications of, 168–169  
conventional, 164  
developments in, xiv  
effectiveness of, 165–168  
failure of, causes of, 168  
incidence of, 20–21t, 24  
by region and number of years prior to survey, 54–55t  
infection prevention in, 163  
innovations in, 172–173  
long-term effects of, 169–171  
mortality from, 170–171  
no-scalpel, 164  
complications of, 169  
occlusion techniques in, 164–165  
prevalence of, 31–32, 33f  
regret after, 171  
restrictions on, 163  
reversal of, 171–172  
safe, requirements for, 163  
service delivery for, in male-only clinics, 5  
users of, current numbers of, 35
- Marital relations, impact of sterilization on, 124
- Marital status and use of sterilization, 111, 112–113t, 131
- Mass media, male sterilization prevalence and, 32
- Mexico  
sterilization laws in, 96  
vasectomy effectiveness study from, 167
- Microlaparoscopy, for female sterilization, 156
- Middle East  
future sterilization prevalence projections for, 184f  
status of sterilization laws in, 92f  
sterilization prevalence in, 27f
- Minilaparotomy, for female sterilization, 141t, 142–143  
complications of, 149–150  
mortality related to, 153  
postpartum, 3
- Misconceptions, sterilization use and, 118–120
- Mobile services, delivery of, 3–5  
at existing adequate health facilities, 4  
at inadequate facilities, 4  
through “camps,” 4
- Mortality  
female sterilization–related, 152–153  
male sterilization–related, 170–171
- Mumford model of decision-making process, 122–123
- Nepal  
compensation programs in, 5  
female sterilization in, by age, 85f  
mobile sterilization services in, 4  
vasectomy effectiveness study from, 168
- Nigeria, sterilization laws in, 96
- North America, sterilization prevalence in, 26f
- Oceania, status of sterilization laws in, 92f
- Outcomes related to sterilization, 124–127
- impact on sexual and marital relations as, 124  
regret for sterilization as, 124–126, 128–129t  
request for reversal as, 126–127  
satisfaction with sterilization as, 124–126
- Ovarian cancer risk, female sterilization and, 152
- Pain syndrome, postvasectomy, 170
- Pakistan  
compensation programs in, 5  
sterilization laws in, 96
- Parental consent, in sterilization laws, 91
- Parity, requirements for, in sterilization laws, 93–94
- Parkland technique, for fallopian tube occlusion, 144, 145f
- Pelvic inflammatory disease (PID), female sterilization and, 152
- Peru  
liberalization of sterilization law in, 96  
mobile sterilization services in, 4–5
- Philippines, future sterilization prevalence projections for, 186
- PID. *See* Pelvic inflammatory disease (PID)
- Policy issues  
developments in, xiii  
sterilization incidence related to, 19
- Policy(ies), international  
sources of, 97  
on sterilization, 96–98
- Pomeroy technique, for fallopian tube occlusion, 144, 145f
- Postpartum sterilization  
interval sterilization versus, 75–76, 79–81t  
popularity of, 11  
service delivery for, 3
- Poststerilization syndrome, 151
- Postvasectomy pain syndrome, 170
- Pregnancy  
ectopic, in sterilized women, 150–151  
unintended, risk of, continuum of, 193t
- Prevalence  
definition of, 17  
of female sterilization, 30–31, 33f  
of male sterilization, 31–32, 33f  
of sterilization, 24–35  
factors affecting, 25–26  
future, projections of, 181–186  
regional variations in, 26–29
- Program factors  
sterilization incidence related to, 19  
sterilization prevalence related to, 25–26
- Programme of Action, International Conference on Population and Development, xi
- Prostate cancer, vasectomy and, 170
- Providers, needs of, in sterilization service delivery, 9–10
- Provision of quality services, 2
- Psychological factors influencing sterilization use, 115–124
- Puerto Rico, sterilization use in, 114–115
- Quality services, provision of, 2
- Quinacrine, for female sterilization, 155–156
- Race, sterilization use and, 114–115
- Recanalization of vas deferens, 168
- Regional anesthesia, for female sterilization, 146–147
- Regret after sterilization, 124–126, 128–129t  
female, 153–154  
male, 171
- Reproductive choice, right to, 97–98
- Research, sterilization  
additional needs in, 130–131  
gaps in, addressing, 127, 130
- Residence, urban-rural  
of female sterilization users, 73, 79–81t  
of nonusers considering sterilization, 187t, 189–190
- Reversal  
of female sterilization, 154–155  
of male sterilization, 171–172  
request for, 126–127
- Satisfaction with sterilization, 124–126
- Semen analysis in evaluating vasectomy effectiveness, 166
- Sex. *See* Gender
- Sexual relations, impact of sterilization on, 119, 124
- Sexually transmitted infections (STIs)  
female sterilization and, 152  
as public health threat, xi  
sterilization and, research needs on, 131
- Silastic bands, for fallopian tube occlusion, 144
- Silastic plugs, for female sterilization, 155
- Silicone plugs, formed-in-place, for male sterilization, 173
- Social factors influencing sterilization use, 115–124
- Sociocultural influences on sterilization service delivery, 8–9
- Socioeconomic status, sterilization use and, 108–111
- South America  
future sterilization prevalence projections for, 182f, 184–185  
sterilization prevalence in, 28f
- South Asia, sterilization prevalence in, 29f
- Southeast Asia, sterilization prevalence in, 29f
- Sperm granulomas complicating vasectomy, 169
- Spinal anesthesia for female sterilization, 146–147
- Spouse, consent of, in sterilization laws, 91
- STIs. *See* Sexually transmitted infections (STIs)
- Tanzania, female sterilization in, by age, 84f
- Term delivery, female sterilization associated with, 142
- Transcervical methods of female sterilization, 155–156
- Transvaginal approaches to female sterilization, 143
- Tubal ligation, 139–156. *See also* Female sterilization
- Tubal reanastomosis, 154–155
- United Kingdom, sterilization laws in, 95
- United States  
female sterilization in, by age, 83f  
female sterilization incidence in, 22  
race and sterilization use in, 114–115
- Unmet need for contraception, 180–181
- Urban-rural residence patterns of female sterilization users, 73, 79–81t
- Users  
of contraception, as percentage of women of reproductive age in union, 55–64t  
sterilization  
current numbers of, 32–35  
female, 32–33  
male, 35

- regional variations in, 32, 34f, 34t, 47–51t, 55–64t
- female
  - age of, 67–69, 70f, 79–81t, 82–85f
  - characteristics of, 65–84
  - educational attainment of, 72, 79–81t
  - family size changes for, 69, 71f, 72
  - modern contraceptive use in, 74, 79–81t
  - number of living children at time of, 69, 71f, 79–81t
  - timing of, 75–76, 79–81t
  - urban-rural residence patterns of, 73, 79–81t
- as percentage of women of reproductive age in union, 55–64t
- potential
  - categories of, 187t, 188–191
  - characteristics of, 186–191
  - nonusers considering sterilization as, 188–190
  - users of temporary methods as, 190
- projected
  - female, 194–196t
  - male, 197–199t
- research needs on, 130–131
- urban-rural residence patterns of, 73, 79–81t
- Vas deferens, recanalization, spontaneous, vasectomy failure from, 168
- Vasectomy, 161–173. *See also* Male sterilization
  - misconceptions about, 119
- Vasectomy clinics, 5
- Vasoepididymostomy, 171
- Vasovasostomy, 171
- Vietnam
  - compensation programs in, 5
  - enactment of incentives in, 96
  - future sterilization prevalence projections for, 186
- Voluntary sterilization, developments in, xii–xv
- Women’s Convention, 98
- Yoon ring, for fallopian tube occlusion, 144